

















ACKNOWLEDGMENTS

The Bergen County Community Health Needs Assessment (CHNA) and Strategic Planning process was made possible through the generous support of Bergen New Bridge Medical Center, Englewood Health, Hackensack Meridian Health Hackensack University Medical Center, Hackensack Meridian Health Pascack Valley Medical Center, Holy Name Medical Center, Ramapo Ridge Psychiatric Hospital (a part of Christian Health Care Center), and The Valley Hospital. Representatives from these seven hospitals, along with representatives of the Bergen County Department of Health Services (BCDHS) and the Community Health Improvement Partnership (CHIP) of Bergen County, worked collaboratively for more than a year to plan and execute this assessment. A Steering Committee comprised of representatives from each hospital and BCDHS guided this project. John Snow, Inc. (JSI) was hired by the Steering Committee to assist with the assessment.

Hundreds of individuals who live, work, and learn in Bergen County were engaged to participate in the assessment process. JSI administered a mail-based random household survey and received approximately 1,350 responses; the survey oversampled in areas of the County with higher percentages of Black/African American residents, Hispanic/Latino residents, and low-income households to achieve a sample that was representative of Bergen County demographics. Information was also gathered through interviews, focus groups, and community listening sessions. Finally, over 350 community residents responded to a web-based survey to capture opinions and perceptions of leading social determinants of health, barriers to care, vulnerable populations, and access to health care services.

The information gathered throughout this assessment will allow the hospitals, the BCHDS, the CHIP, and health and social service providers to gain a better understanding of health needs and barriers to care in Bergen County. The assessment results will be used to guide the development of strategic plans to address these issues and improve where, when, and how healthcare is provided. The Steering Committee would like to extend their sincere appreciation to all those who invested their time, effort, and expertise to ensure the development of a comprehensive and robust assessment.

2019 BERGEN COUNTY COMMUNITY HEALTH NEEDS ASSESSMENT STEERING COMMITTEE

Carolyn Bryan, Hackensack Meridian Health Pascack Valley Medical Center
Donnalee Corrieri, Bergen New Bridge Medical Center
Colette Cummings, The Valley Hospital
Rebecca Dauerman, Ramapo Ridge Psychiatric Hospital (part of Christian Health Care Center)
Balpreet Grewal-Virk, Hackensack Meridian Health Hackensack University Medical Center
Marianne Kennelly, Ramapo Ridge Psychiatric Hospital (part of Christian Health Care Center)
Marla Klein, Bergen County Department of Health Services
Elisabeth Lucas, The Valley Hospital
Lauren Menkes, Englewood Health
Elizabeth Rubock, Bergen County Department of Health Services
Jennifer Yanowitz, Englewood Health
Catherine Yaxley, Holy Name Medical Center

EXECUTIVE SUMMARY

OVERVIEW AND PURPOSE

This Community Health Needs Assessment (CHNA) and the associated Implementation Strategy (IS) were prepared for the Community Health Improvement Partnership (CHIP) of Bergen County, the Bergen County Department of Health Services (BCDHS), and all seven of Bergen's acute care hospitals: Bergen New Bridge Medical Center, Englewood Health, Hackensack Meridian *Health* Hackensack University Medical Center, Hackensack Meridian *Health* Pascack Valley Medical Center, Holy Name Medical Center, Ramapo Ridge Psychiatric Hospital (a part of Christian Health Care Center), and The Valley Hospital. Representatives from each of these entities worked collaboratively to guide the overall assessment methods and approach and to identify priority health issues and populations for Bergen County and individual hospital service areas.

Bergen County's acute care hospitals, its public health institutions, and its leading health and social service agencies have a long history of collaboration, dating back to 1998. The CHIP of Bergen County became a non-profit organization in 2018 and is comprised of more than 50 community organizations, businesses, schools, hospitals, and private citizens. Members work collaboratively to develop, implement, and promote initiatives that will improve the health and lives of those who live, work, and learn in Bergen County. This CHNA report provides information that will be used to make sure that the CHIP's priorities and strategies are appropriately focused and are delivered in ways that are responsive to community needs. This report will summarize the demographics, health status, and priority outcomes for all of Bergen County; for individual hospital findings and priority outcomes, please see individual hospital reports.

APPROACH AND METHODS

The assessment began in December 2018 and was conducted in three phases, which allowed for the collection of an extensive amount of quantitative and qualitative data (Phase 1); engagement of community residents, key stakeholders, and service providers (Phase 2); and analysis and prioritization of findings for use in developing a data-driven Implementation Strategy (Phase 3).

2019 Bergen County CHNA: Project Phases

| Phase 1 Preliminary Assessment and Engagement | Phase 2 Targeted Engagement | Phase 3 Strategic Planning and Reporting |
|--|---|--|
| Secondary Data Collection Key Informant Interviews Resource Inventory Steering Committee Meetings | Bergen County Random Household Survey Focus Groups Community Listening Sessions Bergen County Community Health Perceptions Survey Steering Committee Meetings | Steering Committee Prioritization Meeting Individual Hospital and BCHDS/CHIP Prioritization Meeting Final Reporting |

Many individuals from across Bergen County were engaged in the assessment and planning process, including:

- Health and social service providers
- BCDHS and CHIP leadership and staff
- Faith leaders
- Community residents


- Hospital leadership, clinicians, and staff
- Health and public health officials
- Community organizers and advocates

BERGEN COUNTY COMMUNITY HEALTH PRIORITIES AND VULNERABLE POPULATIONS

The CHNA was designed as a population-based assessment, meaning the goal was to identify a full range of community health issues across the demographic and socioeconomic segments of the population. The issues identified were framed in a broad context to ensure that the breadth of unmet needs and community health issues were recognized.

An integrated analysis of the assessment activities framed the leading community health issues into three priority areas: wellness, prevention, and risk factors, chronic and complex conditions¹, and mental health and substance use. A crosscutting priority area was also identified: social determinants of health and access to care.

To plan community health initiatives and to comply with federal guidelines, there was an effort to identify segments of the population with complex health needs or that face significant barriers to care. With this in mind, six population segments were identified: older adults, children and families, racial/ethnic/cultural minorities and non-English speakers, individuals with chronic/complex conditions, low-resource individuals and families, and LGBTQ individuals.



¹ Literature defines complex chronic conditions as those that "involve multiple morbidities that require the attention of multiple health care providers or facilities and possibly community (home)-based care. A patient with complex chronic disease presents to the health care system with unique needs, disabilities, or functional limitations." *Managing Complexity in Chronic Care. Arlington, VA: Department of Veterans Affairs, Office of Research and Development; 2006.*

KEY FINDINGS BY PRIORITY AREA

Below is a listing of key findings by priority area, with a focus on data points that indicate opportunities for improvement. These findings were used as the basis for the development of Implementation Strategies for the CHIP of Bergen County and individual hospitals. For more detailed findings, data sources, and data on disparities by gender identity, race/ethnicity, income, and age, please see the full Community Health Needs Assessment report. Priority areas are listed in the order in which they are discussed in this Community Health Needs Assessment report and are not hierarchical.

Priority Area: Wellness, Prevention, and Risk Factors

- One-third (33.2%) of Bergen County Random Household Survey respondents were overweight, while approximately one in five were obese (22.8%)
- Nearly a third (32.9%) of Bergen County Random Household Survey respondents reported that they did not participate in any physical activity or exercise in the past 30 days
- Individuals engaged during this assessment prioritized the risk factors associated with chronic and complex conditions (e.g., obesity, poor nutrition, sedentary lifestyle) as key issues of concern

Priority Area: Chronic/Complex Conditions

- Heart disease (#1) and cancer (#2) were the leading causes of death in Bergen County
- Approximately 1 in 4 (26.5%) Bergen County Random Household Survey respondents had been diagnosed with high blood pressure
- Approximately 1 in 10 (9.7%) Bergen County Random Household Survey respondents had ever been diagnosed with cancer
- Approximately 1 in 10 (11.5%) Bergen County Random Household Survey respondents had ever been diagnosed with diabetes.
- 14.1% of Bergen County Random Household Survey respondents had been diagnosed with asthma
- Influenza and pneumonia mortality rates were significantly high in Bergen County compared to New Jersey overall
- Individuals engaged in this assessment identified older adults, especially those with multiple chronic conditions and those who lack a regular caregiver, as a vulnerable population

Priority Area: Mental Health and Substance Use

- 6.8% of Bergen County Random Household Survey respondents reported that their mental health was poor for 15 or more days in the past month
- Nearly 1 in 10 (9.7%) of Bergen County Random Household Survey respondents had ever been diagnosed with a depressive disorder
- Over 1 in 10 (12.7%) of Bergen County Random Household Survey respondents had ever been diagnosed with an anxiety disorder
- 18.9% of Bergen County Random Household Survey respondents were current smokers
- Individuals engaged in this assessment characterized e-cigarette and vaping as a critical concern, especially for youth and adolescents
- 15.4% of Bergen County Random Household Survey respondents reported binge drinking in the past 30 days
- Drug-related deaths in Bergen County have increased since 2014, from 8.8 deaths to 13.8 deaths per 100,000
- The number of suspected opioid-overdose deaths has continued to increase annually since 2014; the number of opioids dispensed has decreased annually since 2015

Cross-cutting Priority Area: Social Determinants of Health and Access to Care

- Nearly one third (30.5%) of Bergen County residents were foreign-born, and 14.5% of residents have limited English proficiency
- The percentage of individuals and families in poverty is low compared to New Jersey overall. Despite this, individuals engaged in this assessment reported that there were pockets of poverty throughout Bergen County, even in affluent communities, and income, poverty, and employment were issues of concern
- Individuals engaged in this assessment identified housing issues including lack of housing stock and housing affordability –as a major barrier to good health and well-being
- Individuals engaged in this assessment identified access to transportation resources, especially for older adults, low-income populations, and those without a personal vehicle as a barrier to accessing health and social services
- Nearly one-fifth (18.5%) of all respondents to the Bergen County Random Household Survey reported that it was very or somewhat difficult to buy fresh produce or vegetables
- Less than 10% of Bergen County residents lacked health insurance. Despite this, respondents to the Bergen County Random Household Survey identified lack of health insurance as the leading social factor or barrier that limited access to care or impacted the health of those living in the community

TABLE OF CONTENTS

| Acknowledgments | |
|--|----|
| Executive Summary | 2 |
| Background and Approach | 7 |
| Overview & Purpose | |
| Approach & Methods | |
| Approuch & Methous | |
| Population Characteristics and Social Determinants of Health | 15 |
| Key Findings by Priority Area | 23 |
| Key Findings: Wellness, Prevention, and Risk Factors | 22 |
| Overall Health Status | |
| Nutrition & Weight | 24 |
| Physical Activity | 26 |
| Routine Health Visits | 27 |
| Key Findings: Chronic and Complex Conditions | 30 |
| Cardiovascular & Cerebrovascular Diseases | |
| Cancer | 33 |
| Diabetes | 38 |
| Asthma | 40 |
| Infectious Disease | 40 |
| Older Adult Health/Healthy Aging | 41 |
| Maternal & Infant Health | 42 |
| Key Findings: Mental Health and Substance Use | 43 |
| Mental Health | 43 |
| Substance Use | 47 |
| Key Findings: Social Determinants of Health and Access to Care | 53 |
| Perceived Barriers to Care | 53 |
| Health Insurance | 54 |
| Service Utilization | 55 |
| Summary Implementation Strategy | 59 |
| Annendices | 65 |
| | |

BACKGROUND AND APPROACH

OVERVIEW & PURPOSE

This Community Health Needs Assessment (CHNA) and the associated Implementation Strategy (IS) were prepared for the Community Health Improvement Partnership (CHIP) of Bergen County, the Bergen County Department of Health Services (BCDHS), and all seven of Bergen's acute care hospitals: Bergen New Bridge Medical Center, Englewood Health, Hackensack Meridian *Health* Hackensack University Medical Center, Hackensack Meridian *Health* Pascack Valley Medical Center, Holy Name Medical Center, Ramapo Ridge Psychiatric Hospital (a part of Christian Health Care Center), and The Valley Hospital. Representatives from each of these entities worked collaboratively to guide the overall assessment methods and approach and to identify priority health issues and populations for Bergen County and individual hospital service areas.

Bergen County's acute care hospitals, its public health institutions, and its health and social service agencies have a long history of collaboration. In 1998, the CHIP was created as a non-profit organization; it is comprised of more than 50 community organizations, businesses, schools, hospitals, and private citizens. Members work collaboratively to develop, implement, and promote initiatives that will improve the health and lives of those who live, work, and learn in Bergen County. This CHNA report provides information that will be used to make sure that the CHIP's priorities and strategies are appropriately focused and are delivered in ways that are responsive to community needs. This report will summarize the demographics, health status, and priority outcomes for all of Bergen County; for individual hospital findings and priority outcomes, please see individual hospital reports.

This CHNA and the associated Implementation Strategy were completed in collaboration with CHIP, BCDHS, hospitals, health and social service partners, and the community at-large. The assessment efforts that took place over the past year engaged hundreds of Bergen County residents and a wide range of other community stakeholders, including clinical providers, community advocates, county and municipal health and public health officials, faith leaders, and representatives from community-based organizations. The process applied to conduct the CHNA and develop the Implementation Strategy exemplifies the spirit of collaboration and community engagement that is such a vital part of the CHIP's mission and current work.

This report will allow BCDHS to work towards Public Health Accreditation Board (PHAB) requirements, and individual hospitals to meet federal Community Benefits requirements per the Internal Revenue Service (IRS) as part of the Affordable Care Act.

The primary goals for the CHNA and this report are to:



This CHNA may be used as a source of information and guidance to:

- Clarify issues related to community characteristics, barriers to care, existing service gaps, unmet community need and other health-related factors;
- Prioritize and promote investments in community health initiatives;
- Inform and guide a comprehensive, collaborative community health improvement planning process;
- Facilitate discussion within and across sectors regarding community need, community health improvement, and health equity;
- Serve as a resource to others working to address health inequities

The Community Health Improvement Partnership of Bergen County is committed to promoting health and well-being, addressing health disparities, and working to achieve health equity. Health equity, the attainment of the highest level of health for all people, requires focused and ongoing societal efforts to address avoidable inequalities, socioeconomic barriers to care, and both historical and contemporary injustices. Throughout the assessment process, efforts were made to understand the needs of populations that are often disadvantaged, face disparities in health-related outcomes, and are deemed most vulnerable. The CHIP's Implementation Strategy will focus on reaching the geographic, demographic, and socioeconomic segments of the population most at-risk, as well as those with behavioral and physical health needs.

CHIP SERVICE AREA

This assessment collected data in all 70 municipalities in Bergen County. BCDHS, the CHIP, and hospital partners made every effort to identify and consider the health needs of residents within the County, regardless of whether or not they use or have used services at the hospitals or any affiliated entities.

APPROACH & METHODS

In September 2018, a Steering Committee was formed, comprised of representatives from each hospital and staff from BCDHS. The Steering Committee hired John Snow, Inc. (JSI), a public health research and consulting firm, to support their efforts and complete this CHNA. This Committee met regularly via inperson meetings and conference calls to plan and execute project activities, vet preliminary findings, address challenges, and ensure that the assessment process was inclusive, comprehensive, and objective.

During this process, each hospital and BCDHS engaged their senior leadership and clinical staff. These individuals helped to prioritize community health issues and priority population segments for inclusion in the Implementation Strategies.

The assessment was completed in three phases. Table 1 below provides a summary of each phase and the associated activities. The community engagement index (Appendix A) includes additional information and materials related to the engagement activities/approach.

Table 1: Summary of approach and methods

| Phase 1 Preliminary Assessment and Engagement | Phase 2 Targeted Engagement | Phase 3 Strategic Planning and Reporting |
|--|---|--|
| Secondary Data Collection Key Informant Interviews Resource Inventory Steering Committee Meetings | Bergen County Random Household Survey Focus Groups Community Listening Sessions Bergen County Community Health Perceptions Survey Steering Committee Meetings | Steering Committee Prioritization Meeting Individual Hospital and BCHDS/CHIP Prioritization Meeting Final Reporting |

PHASE I

The preliminary needs assessment and engagement effort relied on **secondary data** collected via local, state, and national sources. This information included data on the population characteristics of Bergen County, including demographics, social determinants of health, health status, and morbidity/mortality. Whenever possible, confidence intervals were analyzed to test for statistically significant differences between municipal and State of New Jersey data points. A comprehensive Data Book is included in Appendix B. In this Data Book, data points are color-coded to visualize which municipal-level data points were significantly higher or lower compared to the State overall. Relative to most states, New Jersey does an excellent job at making comprehensive data available at the state, county, and municipal levels through an interactive portal accessible via the New Jersey Department of Health (NJ DOH) website. The most significant limitation in regards to quantitative data was the availability of timely data related to morbidity, mortality, and service utilization. The data sets used in this report are the most up-to-date provided by NJ DOH. The data provided was valuable and allowed for identification of health needs relative to the State and specific communities. However, these data sets in some cases may not reflect

recent trends in health statistics. Additionally, quantitative data was not stratified by age, race/ethnicity, income, or other characteristics, which limited the ability to identify health disparities in an objective way. The Bergen County Random Household Survey and the targeted community engagement and qualitative assessment activities allowed for exploration of these issues.

Key informant interviews were conducted with approximately 80 community stakeholders from throughout Bergen County. These interviews confirmed and/or refined the findings from quantitative data sources and provided valuable insight on community need, community health priorities, segments of the population most at-risk, and community health assets. Individual interviews were conducted byphone using a structured interview guide developed by JSI and the Steering Committee. At the outset, JSI worked with the Steering Committee to identify a representative list of key informants that could provide a deep and broad perspective on the health-related needs of the County. This list included administrative and clinical representatives from each of the hospitals and BCDHS, as well as representatives from across many sectors, including health, public health, social service, academic, and business. Detailed notes were taken for each interview. For a list of interviewees, their organizational affiliations, interview dates, and the interview guide, please see Appendix A. Key themes and findings from these interviews are included in the narrative sections of this report.

During this Phase, JSI staff worked with the Steering Committee to develop a **Resource Inventory**. This inventory was meant to inform what services are available in Bergen County to address community needs as well as to determine the extent to which there are gaps in health-related services. This was done primarily by compiling information from existing resource inventories and partner lists from the CHIP, BCDHS, hospitals, and other service providers. The Resource Inventory can be found in Appendix C.

PHASE I: PRELIMINARY ASSESSMENT AND ENGAGEMENT

SECONDARY DATA - 200+ INDCATORS

Including:

Demographics and socioeconomic status
Social determinants of health (e.g., housing, transportation, employment)
Risk factors
Health status and morbidity/mortality
Access to care and service utilization

- Municipal-level data for all cities and towns in Bergen County
- National, New Jersey, and Bergen County comparison data when possible

KEY INFORMANT INTERVIEWS — 80 PHONE AND IN-PERSON

- Interviews conducted using structured interview guide
- Representation across sectors, including:

Clinicians Hospital leadership and staff
Health and public health officials Faith-based community

Community organizations Schools and youth/adolescent services

Older adults/elder services Social service providers

Cultural organizations and advocates Behavioral health providers and advocates

RESOURCE INVENTORY

Identified existing Bergen County assets/resources across health-related sectors

PHASE II

Phase II included several activities aimed at further engaging community residents and stakeholders — including segments that are typically hard to reach. JSI conducted a mail-based **Bergen County Random Household Survey**, which captured information directly from community residents on health status and overall well-being, service utilization, and barriers to care. To generate the survey sample, a comprehensive survey was distributed to more than 4,000 randomly identified households in the County. The initial random sample of 4,000 households included an oversample of communities with large proportions of Black/African American, Hispanic/Latino, and low-income residents to ensure that enough surveys were generated from households with often under-represented segments of the population. In all, 1,372 community residents responded to the survey, representing a survey response rate of approximately 31%. Table 2 includes respondent characteristics. Detailed findings from the survey are included in the body of the report and in tabular form in Appendix B.

Table 2: Respondent characteristics (unweighted) for the Bergen County Random Household Survey (N=1,372)

| moosemora se | | (11 1/072) | | | | | | | |
|---------------|-------|------------|--------|-------|---------------|-----------|-------|------------|-----------|
| | All | Male | Female | White | Black/African | Hispanic/ | Asian | Income | Over 65 |
| | | | | | American | Latino | | <\$50,000* | years old |
| Number of | | | | | | | | | |
| respondents | | | | | | | | | |
| to survey | 1,372 | 518 | 832 | 959 | 126 | 188 | 151 | 331 | 475 |
| Average age | 57 | 59 | 56 | 59 | 55 | 50 | 51 | 61 | 75 |
| Female (%) | 62 | - | 100 | 61 | 68 | 71 | 54 | 71 | 57 |
| Less than a | | | | | | | | | |
| high school | | | | | | | | | |
| education (%) | 4 | 4 | 4 | 4 | 2 | 12 | 1 | 13 | 7 |
| Advanced | | | | | | | | | |
| degree | | | | | | | | | |
| (Masters or | | | | | | | | | |
| beyond) (%) | 25 | 28 | 23 | 27 | 20 | 16 | 23 | 4 | 23 |
| Total | | | | | | | | | |
| Household | | | | | | | | | |
| income (%) | | | | | | | | | |
| <\$50,000 | 26 | 20 | 30 | 24 | 38 | 41 | 24 | 100 | 36 |
| \$50,000 - | | | | | | • | | | |
| \$124,999 | 40 | 43 | 39 | 40 | 31 | 41 | 48 | | 43 |
| >\$125,000 | 33 | 37 | 31 | 36 | 31 | 18 | 27 | | 21 |

^{*}Throughout the report, the "low-income" cohort refers to are those whose total household income was less than \$50,000.

Focus groups were conducted with population segments and health/social service provider groups to gather more precise and nuanced information on the needs of specific segments of the population or from individuals with specific expertise. Focus groups were held at locations that were considered safe and accessible for participants and were facilitated in appropriate languages to ensure full participation. JSI and co-facilitators conducted all focus groups using a guide that was similar to the one used for key informant interviews to ensure consistent data collection. JSI, the CHIP, and hospital partners worked with organizations in the County to plan these events and identify focus group participants.

JSI facilitated two **community listening sessions**, one in Ridgewood and one in Englewood. These sessions provided an opportunity for anyone who was interested to participate and allowed for the capture of information directly from community residents, staff from community-based organizations, and local service providers. Participants were asked to react to preliminary data findings and to share thoughts on community health needs, barriers to care, vulnerable populations, and community assets and resources. Both sessions were held in locations that were easily accessible, safe, and well known.

Finally, JSI worked with the Steering Committee to develop a web-based **Bergen County Community Health Perceptions Survey** to solicit additional information directly from community residents.

Respondents were asked to provide their opinion and perceptions of leading social determinants of

health and barriers to care, clinical health issues, vulnerable populations, access to health care services, and opportunities for the hospital to improve community health programming. Surveys were available online, through the SurveyGizmo platform, in multiple languages. Surveys were also made available in hard copy for distribution; hard-copy surveys were collected and the responses were included in the final analysis. The CHIP, BCDHS, hospitals, and public health partners worked in close collaboration with local community organizations, businesses, and stakeholders to distribute the survey to community residents, including those who are typically hard-to-reach (e.g. non-English speakers, diverse populations). Findings from the survey are integrated into the narrative sections of this report.

PHASE II: TARGETED ENGAGEMENT

BERGEN COUNTY RANDOM HOUSEHOLD SURVEY

County-wide sample

Distributed via mail to 4,000 randomly selected households; oversampled in Black/African American, Hispanic/Latino, and low-income populations

1,372 surveys collected (31% response rate)

Average age of respondent = 57 14% Hispanic/Latino (N=188)

61% female (N=832) 11% Asian (N=151)

38% male (N=518) 35% over 65 years of age (N=475)

70% White (N=959) 24% low-income (total household income <\$50,000

9% Black/African American (N=126) (N=331)

BERGEN COUNTY COMMUNITY HEALTH PERCEPTIONS SURVEY

County-wide sample
 Distributed via email, newsletters, social media, and other web-based sources

357 surveys collected

FOCUS GROUPS

60-90 minute sessions with population and provider segments

Black/African Americans Mental health providers and advocates
Koreans Substance use disorder providers

Spanish-speakers Older adult health/elder services providers

LGBTQ+ School nurses

Individuals in recovery from Bergen County Health Officers

substance use disorder

COMMUNITY LISTENING SESSIONS

• 2-hour sessions, open to the public

Englewood Ridgewood

PHASE III

Phase III included prioritization and strategic planning meetings with the Steering Committee, individual hospitals, and BCDHS/CHIP members. Meeting participants were presented with findings from the CHNA and were asked to weigh on a set of proposed community health priorities and priority populations. Participants were also asked to contribute information and ideas on current community and population health programs/initiatives that were working well and potential responses to identified needs. JSI used this information to finalize community health priorities and populations for the County overall and for each individual hospital.

Following the prioritization and strategic planning meetings, JSI worked with individual hospitals to draft CHNA reports and Implementation Strategies. These documents were presented for adoption to the governing bodies at each hospital in fall 2019.

POPULATION CHARACTERISTICS AND SOCIAL DETERMINANTS OF HEALTH

To understand community needs and health status for individuals in Bergen County, we begin with a description of community characteristics, including demographics, socioeconomics, and the social determinants of health. This information is critical to recognizing inequities, identifying vulnerable populations and health related disparities, and targeting strategic responses.

The social determinants of health (SDOH) are the conditions in which people live, work, learn and play. ² These conditions influence and define quality of life for many segments of the population in the CHNA service area. To augment the lack of quantitative data, the key informant interviews, focus groups, listening sessions, and Bergen County Community Health Perceptions Survey specifically solicited feedback on SDOH and barriers to care. A dominant theme from community engagement activities was the impact that the underlying social determinants, particularly housing, transportation, and income/employment have on the residents of Bergen County.


More expansive data tables are included in the Bergen County Data Book (Appendix B).

² "Social Determinants of Health: Know What Affects Health," *Centers for Disease Control and Prevention*, 29 Jan. 2018. https://www.cdc.gov/socialdeterminants/

AGE, RACE/ETHNICITY, AND FOREIGN BORN³

- Bergen County has the second highest percentage of adults 65 and over among all counties in New Jersey. The percentage of Bergen County residents over the age of 65 (16.4%) was significantly high compared to New Jersey overall (15.1%). The median age in Bergen County (41.6) was also higher than New Jersey overall (39.6).
- predominantly white, though there is a large Asian population. The percentage of the population that was white (57.8%) was significantly higher than New Jersey overall (56.1%). The percentage of Asian residents in Bergen County (16.2%) was significantly high compared to the state overall (9.4%).

Figure 1: Percentage of Population over 65, by Municipality



Source: US Census Bureau, American Community Survey 5-Year Estimates (2013-2017)

- The percentage of Black/African American residents in Bergen County (5.3%) was significantly low compared to the state overall (12.7%).
- The percentage of Hispanic/Latino residents in Bergen County (18.9) was similar to the state overall (19.7%).
- Nearly one-third (30.5%) of Bergen County residents were foreign-born.

³ All statistics from US Census Bureau, American Community Survey, 2013-2017

Table 3: Age Distribution (2013-2017)

| | United States | New Jersey | Bergen County |
|--------------------|---------------|------------|---------------|
| Median age (years) | 37.8 | 39.6 | 41.6 |
| Under 18 (%) | 22.9 | 22.3 | 21.5 |
| Ages 20-34 (%) | 20.7 | 19.3 | 17.4 |
| Ages 35-44 (%) | 12.7 | 13.0 | 13.3 |
| Ages 45-54 (%) | 13.4 | 14.7 | 15.3 |
| Ages 55-64 (%) | 12.7 | 13.1 | 13.6 |
| Ages over 65 (%) | 14.9 | 15.1 | 16.4 |

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

Table 4: Race, Ethnicity, and Foreign-born (2013-2017)

| | United States | New Jersey | Bergen County |
|------------------------------------|---------------|------------|---------------|
| Non-Hispanic White (%) | 73.0 | 56.1 | 57.8 |
| Non-Hispanic Black (%) | 12.7 | 12.7 | 5.3 |
| Non-Hispanic Asian (%) | 5.4 | 9.4 | 16.2 |
| Non-Hispanic Korean (%) | 0.5 | 1.1 | 6.1 |
| Hispanic or Latino of any race (%) | 17.6 | 19.7 | 18.9 |
| Foreign-born (%) | 13.4 | 22.1 | 30.5 |

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

LANGUAGE4

- Over a third of Bergen County residents speak a language other than English. A significantly high percentage of Bergen County residents speak a language other than English in the home (39.9%) compared to the state overall (31%).
 - The percentage of these residents with limited English proficiency (LEP) defined as speaking English "less than very well" – was also significantly high compared to the state (14.5% vs. 12.2%).
- Over 1 in 10 Bergen County residents speak an Asian or Pacific Islander language in the home.

 The percentage of Bergen County residents 5 years and older who spoke Asian and Pacific Islander languages (11.5%) was significantly high compared to the state overall.
- Over 1 in 10 residents speak Spanish in the home. The percentage of Bergen County residents 5 years and older who spoke Spanish in their home (14.9%) was significantly low compared to the state overall (16.1%).

⁴ All statistics from US Census Bureau, American Community Survey, 2013-2017

 Over 1 in 10 residents speak Indo-European languages (e.g., French, Portuguese, German, Russian, Polish) in the home. The percentage of Bergen County residents who spoke Indo-European languages (11.1%) and other languages (2.4%) were all significantly high compared to the state overall.

Table 5: Percent of Population 5+ Who Speak Language Other than English in the Home (2013-2017)

| | United States | New Jersey | Bergen County |
|--------------------------------------|---------------|------------|---------------|
| Language other than English at | | | |
| home (%) | 21.3% | 31.0 | 39.9 |
| With LEP (%)* | 8.5% | 12.2 | 14.5 |
| Spanish at home (%) | 13.2% | 16.1 | 14.9 |
| With LEP (%) | 5.4% | 7.1 | 5.1 |
| Indo-European languages (%) | 3.6% | 8.3 | 11.1 |
| With LEP (%) | 1.1% | 2.8 | 3.6 |
| Asian/Pacific Islander languages (%) | 3.5% | 4.8 | 11.5 |
| With LEP (%) | 1.6% | 1.9 | 5.1 |
| Other languages (%) | 0.3% | 1.7 | 2.4 |

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

SOCIOECONOMICS

Socioeconomic status (SES), as measured by income, employment status, occupation, education and the extent to which one lives in areas of economic disadvantage, is closely linked to morbidity, mortality and overall well-being.⁵

High educational attainment.

- The percentage of Bergen County residents with less than a high school diploma (8%) was significantly low compared to New Jersey overall (10.8%).⁶
- The percentage of ninth-grade cohorts in Bergen that graduates in four years (95%) was higher than New Jersey overall (91%).⁷
- The percentage of Bergen County adults ages 25-44 with some post-secondary education (77%) was higher than New Jersey overall (68%).⁸
- Low unemployment rate. The unemployment rate in Bergen County was significantly low compared to the state of New Jersey overall (3.4% vs. 4.6%).⁹

⁵ Nancy E. Adler and Katherine Newman, "Socioeconomic Disparities in Health: Pathways and Policies," HealthAffairs, 2002; 21(2), doi: https://doi.org/10.1377/hlthaff.21.2.60

⁶ US Census Bureau, American Community Survey, 2013-2017


⁷ County Health Rankings 2016-2017, from New Jersey Department of Education

⁸ US Census Bureau, American Community Survey, 2013-2017

⁹ US Census Bureau, American Community Survey, 2013-2017

- Low percentage of individuals and families in poverty. Despite this, key informant interviewees and focus group participants reported that there were pockets of poverty throughout Bergen County, even in towns that were considered affluent.
 - The percentage of Bergen County families (5.5%) and individuals (7.2%) living below the poverty level were significantly low compared to the state overall (7.9% and 10.7%, respectively).¹⁰
 - In Bergen County, the percentage of individuals with income below 200%, 300%, and 400% of the federal poverty level was lower than the state overall (Table 6).

Figure 2: Percentage of residents below 200% of the federal poverty level, by municipality



 $^{^{10}}$ US Census Bureau, American Community Survey, 2013-2017

Table 6: Unemployment and Poverty (2013-2017)

| | United States | New Jersey | Bergen County |
|---|---------------|------------|------------------|
| Unemployment rate (%) | 4.1 | 4.6 | 3.4 |
| Individuals with income below the federal poverty level (%) | 14.6 | 10.7 | 7.2 |
| Families with income below the federal poverty level (%) | 10.5 | 7.9 | 5.5 |
| Individuals with income <200% of federal poverty level | 32.7 | 24.1 | 17.6 |
| Individuals with income <300% of federal poverty level | 49.1 | 37.1 | 28.3 |
| Individuals with income <400% of federal poverty level | 62.6 | 48.9 | 39.1 |

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

HOUSING

- Housing issues including lack of housing stock and affordability – were identified as barriers to health and well-being. Many key informants and focus group/forum participants expressed concern over the limited options for affordable housing throughout Bergen County. This was particularly an issue for older adults, who often bear the burden of household costs (e.g. taxes, maintenance, adaptabilities) while living on fixed incomes.
 - The percentage of owner-occupied units in which ownership costs exceed 35% of total household income, representing a major financial burden, was significantly high in Bergen (56.5%) compared to New Jersey overall (50.7%).¹¹
 - The percentage of renter-occupied households whose gross rent exceeded 35% of total household income was significantly low (41.1%) compared to New Jersey overall (43.6%). 12
- The Community Health
 Perceptions Survey
 asked people to name
 the issues they thought
 prevented people from
 living a healthy life.
 "Housing is expensive or
 unsafe" was the most
 common response
 (54.1%).

 Over one-fifth of households (22%) had at least one severe housing problem (overcrowding, high housing costs, lack of kitchen facilities, or lack of plumbing) - the same as New Jersey overall. ¹³

¹¹ US Census Bureau, American Community Survey, 2013-2017

¹² US Census Bureau, American Community Survey, 2013-2017

¹³ Comprehensive Housing Affordable Strategy (US Department of Housing and Urban Development), 2011-2015, from County Health Rankings

CRIME & VIOLENCE

- Violent crime and property crime rates were low.
 - The violent crime rate (e.g., murder/non-negligent manslaughter, forcible rape, robbery, aggravated assault) in Bergen County was significantly low compared to New Jersey overall (228.6 per 100,000). 14
 - The property crime rates (e.g., burglary, larceny/theft, motor vehicle theft, arson) in Bergen County (966.9 per 100,000) was significantly low compared to New Jersey overall (1537.9).¹⁵
- 6% of Bergen County Random Household Survey respondents reported that they had experienced intimate partner violence. Among these respondents:
 - Hispanic/Latino respondents were more likely to report intimate partner violence (8.0%)
 and Asian respondents were least likely to report intimate partner violence (1.1%).
 - Female respondents were more than twice as likely to report intimate partner violence compared to male respondents (8.7% vs. 3.1%).

 $^{^{14}}$ FBI Uniform Crime Reporting: Offenses Known to Law Enforcement 2017

¹⁵ FBI Uniform Crime Reporting: Offenses Known to Law Enforcement 2017

KEY FINDINGS: WELLNESS, PREVENTION, AND RISK FACTORS

At the core of the CHNA process is understanding leading risk factors and the extent to which individuals participate in certain risky behaviors. This information is critical to assessing health status, clarifying health-related disparities and identifying health priorities. The CHNA captures a wide range of quantitative data from federal and municipal data sources and from the Bergen County Random Household Survey. Qualitative information gathered from key informant interviews, focus groups, listening sessions, and the web-based Community Health Perceptions Survey informed the key findings sections of this report by providing perspective on the confounding and contributing factors of illness, health priorities, barriers to care, service gaps and possible strategic responses to the issues identified.

OVERALL HEALTH STATUS

- Overall health status among Bergen County residents was good.
 - Among all Bergen County Random Household Survey respondents, 87% reported that their general health was excellent, very good, or good; 13% reported their health status as fair or poor.
 - Over one fourth (25.3%) of low-income respondents reported fair or poor health status.
 - o 19.7% of respondents to the Bergen County Random Household Survey responded that they are limited in some way because of a physical, mental, or emotional problem. Percentages were highest among low-income respondents (31.9%), respondents over 65 (31.1%), and Black/African American respondents (27.7%).
- All-cause mortality and premature mortality was lower than the state overall.
 - The all-cause mortality rate was significantly lower in Bergen County (760 per 100,000) than New Jersey overall (810.7). 16
 - The premature mortality rate or the years of life lost before age 75 was lower in Bergen County (3,800) than the state overall (5,700).¹⁷
 - The average age of death in Bergen County (78.2) was significantly higher than New Jersey overall (75.0).¹⁸

¹⁶ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

¹⁷ Years of potential life lost before age 75 per 100,000 (age-adjusted); National Center for Health Statistics – Mortality Files, 2015-2017

¹⁸ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

Figure 3: Bergen County Random Household Survey - Self Reported Health Status as Fair or Poor (%)





Figure 4: Bergen County Random Household Survey - Limited in Some Way Due to Physical, Mental, or Emotional Problems (%)



NUTRITION & WEIGHT

- One-third (33.2%) of all respondents to the Bergen County Random Household Survey were overweight, while 22.8% were obese.
 - 41% of Black/African American respondents reported being overweight, and 30.6% reported as obese. These percentages were highest among all racial/ethnic cohorts.
 - Obesity percentages were also high among low-income (29.25) and Hispanic/Latino (29%) respondents.

Figure 5: Bergen County Random Household Survey - Overweight (%)





Figure 6: Bergen County Random Household Survey - Obese (%)



- 75.4% of Bergen County Random Household Survey respondents reported that, on average, they had less than three servings of fruit per day in the past month. Daily fruit consumption was lowest among Asian (86.6%) and Hispanic/Latino (85.9%) respondents.
- 78.8% of survey respondents reported that, on average, they had less than three servings of vegetables per day in the past month. Percentages were highest among Hispanic/Latino (83.1%) and Asian (83.1%) respondents.

Figure 7: Bergen County Random Household Survey — Less Than 3 Servings of Fruit a Day (%)






Figure 8: Bergen County Random Household Survey — Less Than 3 Servings of Vegetables a Day (%)



- 19.1% of survey respondents reported drinking sugar sweetened drinks (e.g., Kool-Aid, lemonade, sweet tea, sports drinks, energy drinks) on more than 5 days in the past week.
 - Percentages were nearly double among Hispanic/Latino (37.4%) and Black/African American (37.3%) survey respondents.

Figure 9: Bergen County Random Household Survey — Has Sugar Sweetened Drinks 5+ Days a Week (%)




PHYSICAL ACTIVITY

- The Bergen County Random Household Survey revealed disparities in regular physical activity.
 32.9% of all respondents reported that they did not participate in any physical activity or exercise, outside of their normal job, in the past 30 days; only 18.6% reported moderate exercise in the past 30 days.
 - Low-income respondents (47.9%),
 Hispanic/Latino respondents (43.2%),
 Black/African American respondents
 (41.6%), and Asian (41.2%) respondents
 reported less exercise than other cohorts.

The Bergen County Community
Health Perceptions Survey asked
people to name the issues they
thought prevented people from
living a healthy life. "Physical
inactivity or sedentary lifestyle"
was the second most common
response (44.5%).

Figure 10: Bergen County Random Household Survey — No Physical Activity in Past 30 Days (%)



ROUTINE HEALTH VISITS

- Primary care providers. Among all respondents to the Bergen County Random Household
 Survey, 83.9% reported that they had one person they considered their personal care doctor or primary care provider. Percentages were lowest among Hispanic/Latino respondents (77.2%).
- Primary care visits. Among all respondents to the Bergen County Random Household Survey,
 70.3% reported that they had a primary care visit within the last year. Percentages were similar across racial/ethnic cohorts. Percentages were highest among respondents over 65 years old (87.4%).
- **Disparities in dental visits.** Approximately 70% of respondents reported having been to the dentist within the past year. Percentages were lowest among low-income respondents (54.1%) and Black/African American respondents (55.9%).

Figure 11: Bergen County Random Household Survey — Has Primary Doctor/Primary Care Provider (%)




Figure 12: Bergen County Random Household Survey — Had Primary Care Visit within Past Year (%)





Figure 13: Bergen County Random Household Survey — Had Dental Visit within Past Year (%)



KEY FINDINGS: CHRONIC AND COMPLEX CONDITIONS

Chronic and complex conditions such as heart disease, cancer, stroke, Alzheimer's disease, and diabetes are the leading causes of death and disability in the United States, and are the leading drivers of the nation's \$3.3 trillion annual healthcare costs. ¹⁹ Over half of American adults have at least one chronic condition, while 40% have two or more. ²⁰ Perhaps most significantly, chronic diseases are largely preventable despite their high prevalence and dramatic impact on individuals and society.

This section discusses specific conditions in approximate order of how they were prioritized in the assessment process. Age-specific findings (older adult health/healthy aging and maternal and infant health) follow the discussion of specific conditions.

CARDIOVASCULAR & CEREBROVASCULAR DISEASES

- Heart disease was the leading cause of death in Bergen County in 2017, representing 25.7% of all deaths.²¹
- Cardiovascular and cerebrovascular disease mortality, inpatient hospitalization, and emergency discharge rates were significantly low in Bergen County compared to the state overall. Despite this, key informants, focus group/listening session participants, and community residents identified these issues as priorities.

The Bergen County Community Health Perceptions Survey asked respondents what health issues they think people in their community struggle with the most. "Cardiovascular conditions (e.g., high blood pressure/hypertension, heart disease)" was the most common response (49.2%).

¹⁹ "Chronic Diseases in America," *Centers for Disease Control and Prevention,* 15 April 2019, https://www.cdc.gov/chronicdisease/resources/infographic/chronic-diseases.htm ²⁰ CDC, *Chronic Diseases in America*

²¹ New Jersey Department of Health, Death Certificate Database, Office of Vital Statistics and Registry (2017)

Table 7: Cardiovascular and Cerebrovascular Disease Mortality, Inpatient Hospitalizations, and Emergency Room Discharges (crude rates per 100,000)

| | New Jersey | Bergen County |
|----------------------------------|------------|---------------|
| Cardiovascular disease | | |
| Mortality | 207.3 | 199.3 |
| Inpatient hospitalizations* | 1082.6 | 871.1 |
| Emergency department discharges* | 303.6 | 252.5 |
| Cerebrovascular disease | | |
| Mortality | 38.3 | 36.7 |
| Inpatient hospitalizations* | 243.0 | 206.3 |
| Emergency department discharges* | 38.0 | 19.2 |

Source: New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower.

- Racial/ethnic, age, and income disparities. The Bergen County Random Household Survey
 revealed disparities in the percentage of residents who had been told by a doctor that they had
 high blood pressure, had a heart attack, or had a stroke.
 - Approximately 1 in 4 Bergen County Random Household Survey respondents had been diagnosed with high blood pressure by a physician (26.5%).
 - Percentages were highest among respondents over 65 (57.8%) and Black/African American respondents (37.5%).
 - 2.7% of Bergen County Random Household Survey respondents had experienced a physician-diagnosed myocardial infarction (heart attack).
 - Percentages were highest among respondents over 65 (8.1%) and male respondents (4.0%).
 - 1.8% of Bergen County Random Household Survey respondents had experienced a stroke.
 - Percentages were highest among respondents over 65 (6.1%), Black/African
 American respondents (4.0%), and low-income respondents (3.8%).

^{*}Source: New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

Figure 14: Bergen County Random Household Survey — Has Physician-Diagnosed High Blood Pressure (%)




Figure 15: Bergen County Random Household Survey — Has Had a Physician-Diagnosed Heart Attack (%)





Figure 16: Bergen County Random Household Survey — Has Had a Physician-Diagnosed Stroke (%)



CANCER

SCREENINGS

- Low-income respondents reported less frequent mammograms. The HealthyPeople 2020 target is for 81.1% of women to have received a breast cancer screening, based on guidelines for age and recommended frequency. Among all female respondents over 40 who responded to the Bergen County Random Household Survey, 68.1% had received a mammogram within the past two years. Percentages were lowest among low-income respondents (57.3%).
- **Disparities for recent PSA tests among men over 40.** Among men over 40 who responded to the Bergen County Random Household Survey, 44.9% reported a recent prostate antigen test (PSA). Percentages were lowest among low-income respondents (31.7%) and Hispanic/Latino respondents (33.5%).

- Disparities in sigmoidoscopies/colonoscopies. The HealthyPeople 2020 target is for 70.5% of adults to have received a colorectal cancer screening, based on guidelines for age and recommended frequency. Among individuals over 50 who responded to the Bergen County Random Household Survey, 70.4% reported having ever had a sigmoidoscopy/colonoscopy. Percentages were lowest among Black/African American respondents (55.0%) and low-income respondents (56.7%).
- **Disparities in recent Pap tests.** The HealthyPeople 2020 target is for 93.0% of women to have received a cervical cancer screening/Pap test, based on guidelines for age and recommended frequency. Among women over 18 who responded to the Bergen County Random Household Survey, 58.9% reported having had a recent Pap test. Percentages were lowest among Asian respondents (39.2%) and low-income respondents (40.0%).

Figure 17: Bergen County Random Household Survey — Recent Mammogram among Women Over 40 (%)





Figure 18: Bergen County Random Household Survey — Recent PSA among Men Over 40 (%)*




²The Prostate-Specific Antigen (PSA) test is primarily used to screen for prostate cancer.

Figure 19: Bergen County Random Household Survey — Ever Had Sigmoidoscopy/ Colonoscopy among Men and Women Over 50(%)*



^{*}Sigmoidoscopies and colonoscopies are the two main procedures to screen for colorectal cancer

Figure 20: Bergen County Random Household Survey — Recent Pap among Women Over 18 (%)**




^{**}The Papanicolaou (Pap) test is a method of cervical screening used to detect potentially precancerous and cancerous processes in the cervix.

DIAGNOSES

• Approximately 1 in 10 Bergen County Random Household Survey respondents had ever been diagnosed with cancer (9.7%). The percentage was higher among respondents over 65 (26.5%) and White respondents (12.0%).

Figure 21: Bergen County Random Household Survey — Ever Been Diagnosed With Cancer (Any Type) (%)




MORTALITY

- Cancer was the second leading cause of death in Bergen County in 2017, representing 22.6% of all deaths. ²²
- Cancer mortality rates similar to New Jersey. Across all-types of cancer, breast cancer, colorectal cancer, lung cancer, and prostate cancer, mortality rates were similar to New Jersey overall.

Key informants and focus group/listening session participants identified several needs for individuals with cancer and their caregivers, including more support groups, alternative/integrative therapies, assistance with care navigation and management, and respite services.

Figure 22: Cancer Mortality (crude rates per 100,000), 2013-2017



Source: New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

²² New Jersey Department of Health, Death Certificate Database, Office of Vital Statistics and Registry (2017)

DIABETES

- Over 10% of survey respondents reported that they had diabetes.
 - Among respondents to the Bergen County
 Random Household Survey, 11.5% reported
 that they had been diagnosed with diabetes.
 - Percentages were highest among respondents over 65 (22.1%), lowincome respondents (16.7%), and Black/African American respondents (15.7%).
 - 11.2% Bergen County Random Household Survey respondents reported that a physician had told them that they had borderline or pre-diabetes.
 - Percentages were highest among respondents over 65 (19.8%) and low-income respondents (16.3%).

Key informants and focus
group/listening session
participants prioritized many of
the risk factors for diabetes —
poor nutrition, physical
inactivity, and obesity — and
discussed the need for diabetes
management and support
services for those affected.

Figure 23: Bergen County Random Household Survey — Ever Been Diagnosed With Diabetes (%)





Figure 24: Bergen County Random Household Survey — Ever Been Told They Had Borderline/Pre-Diabetes (%)



- Diabetes mortality, inpatient hospitalizations, and emergency discharges significantly low.
 - o In Bergen County, the diabetes mortality rate (17.9) was significantly low compared to New Jersey overall (22.1).²³
 - In Bergen County, the rates of inpatient hospitalizations (105.6) and emergency department discharges (100.4) due to diabetes were significantly low compared to New Jersey overall (177.1 and 189.9, respectively).

Table 8: Diabetes Mortality, Inpatient Hospitalizations, and Emergency Department Visits

| | New Jersey | Bergen County |
|--------------------------------------|------------|---------------|
| Diabetes mortality | 22.1 | 17.9 |
| Diabetes inpatient hospitalizations* | 177.1 | 105.6 |
| Diabetes emergency room visits* | 189.9 | 100.4 |

Source: Crude rates per 100,000; New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017 *Source: New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016


Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower.

²³ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

ASTHMA

- 14.1% of respondents to the Bergen County Random Household Survey reported that a doctor had told them that they had asthma.
 - o Percentages were highest among Black/African American (19.2%) respondents.

Figure 25: Bergen County Random Household Survey — Ever Been Told They Had Asthma (%)



INFECTIOUS DISEASE

- Pneumonia/Influenza The Influenza/pneumonia mortality rate was significantly high in Bergen County (16.5) compared to New Jersey overall (14.6).²⁴
 - Over half of Bergen County residents had not received a flu vaccination within the past 12 months (2012-2016).²⁵
- **Sexually transmitted diseases** Chlamydia, gonorrhea, and syphilis case counts were significantly low in Bergen County compared to New Jersey overall (Table 9).

Table 9: Sexually Transmitted Diseases

| | New Jersey | Bergen County |
|---|------------|---------------|
| Chlamydia cases (counts per 100,000), 2013-2017 | 1772.8 | 947.8 |
| Gonorrhea cases (counts per 100,000), 2013-2017 | 427.7 | 147.2 |
| Syphilis cases - primary, secondary, latent (counts per | 77.4 | 47.4 |
| 100,000), 2013-2017 | | |

Source: Communicable Disease Reporting and Surveillance System, New Jersey Department of Health, 2013-2017

²⁴ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, crude death rate per 100,000 2013-2017

²⁵ New Jersey Behavioral Risk Factor Survey, Center for Health Statistics, New Jersey Department of Health, age-adjusted rates per 100,000 (2012-2016)

• Other communicable diseases - Hepatitis B and Tuberculosis incidence in Bergen County was similar to New Jersey overall. Incidence of Hepatitis C, in all forms, was significantly lower than the state. HIV prevalence was lower than the state (Table 10).

Table 10: Communicable Diseases

| | New Jersey | Bergen County |
|---|------------|---------------|
| Hepatitis B – acute, chronic, and perinatal (counts per | 4.2 | 4.3 |
| 100,000), 2013-2017 | | |
| Hepatitis C – acute, chronic, and perinatal (counts per | 85.5 | 40.9 |
| 100,000), 2013-2017 | | |
| HIV prevalence among those 13 years or older (cases per | 474 | 222 |
| 100,000) 2015* | | |
| Tuberculosis (cases per 100,000), 2018** | 3.3 | 3.7 |

Source: Communicable Disease Reporting and Surveillance System, New Jersey Department of Health, 2013-2017

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower.

OLDER ADULT HEALTH/HEALTHY AGING

Additional information on the health of older adults is included throughout this report, where data is stratified by age.

- Falls 14.9% of Bergen County Random
 Household Survey respondents 65 or older
 reported that they had fallen at least once in
 the past 3 months.
- Advanced Directives/End of Life Care 58.7%
 of Bergen County Random Household Survey
 respondents 65 or older reported that they
 had no legal documents that provide end of
 life instructions (e.g., medical power of
 attorney, health care proxies, and advanced
 directives).
- Social and emotional support 12.7% of Bergen County Random Household Survey respondents 65 or older reported that they rarely or never get the social and emotional support they need.
 - Within this same age cohort, 32%
 reported that they do not regularly
 participate in activities that allow them to socialize.

The Bergen County Community
Health Perceptions Survey asked
people to name the populations
with the greatest health needs.
"Older adults (65+)" was the most
common response (66.2%).

Many key informants and focus group/listening session participants were concerned about social isolation and depression for older adults, especially those that are frail, live alone, and lack a regular caregiver.

^{*}Source: National Center for HIV/AIDS, Viral Hepatitis, STD, and TB prevention, 2015

^{**}Source: New Jersey Department of Health Tuberculosis Control Program

- Neurological and memory disorders.
 - The Alzheimer's disease mortality rate was significantly high in Bergen County (30.6) compared to New Jersey overall (25.2).
 - The Parkinson's disease mortality rate in Bergen County (8.3) was similar to the state overall (9.5)

Table 11: Alzheimer's and Parkinson's Disease Mortality

| | New Jersey | Bergen County |
|--|------------|---------------|
| Alzheimer's Disease mortality (crude rate per 100,000) | 25.2 | 30.6 |
| Parkinson's disease mortality (crude rate per 100,000) | 8.3 | 9.5 |

Source: Crude rates per 100,000; New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017 Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower.

MATERNAL & INFANT HEALTH

- **Teen births** The adolescent birth rate was significantly low in Bergen County (20.1) compared to the state overall (61.0).
- Adequate prenatal care Approximately 66% of individuals in Bergen County received adequate prenatal care. ²⁶
- Low birthweight and preterm births The percentage of low birthweight (<2500 g) infants and preterm births (<37 weeks) in Bergen County were lower than New Jersey overall.

Table 12: Maternal and Infant Health

| | New Jersey | Bergen County |
|------------------------------------|------------|---------------|
| Adolescent (ages 15-19) birth rate | 61.0 | 20.1 |
| Adequate prenatal care (%) | 67.1 | 66.4 |
| Low birthweight (%) | 8.1 | 7.9 |
| Preterm births <37 weeks (%) | 9.6 | 9.7 |

Source: New Jersey Birth Certificate Database, Office of Vital Statistics and Registry, 2013-2017

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower

²⁶ The Kotelchuck Index, also called the Adequacy of Prenatal Care Utilization (APNCU) Index, uses two crucial elements obtained from birth certificate data-when prenatal care began (initiation) and the number of prenatal visits from when prenatal care began until delivery (received services). The Kotelchuck Index classifies the adequacy of initiation as follows: pregnancy months 1 and 2, months 3 and 4, months 5 and 6, and months 7 to 9, with the underlying assumption that the earlier prenatal care begins the better. To classify the adequacy of received services, the number of prenatal visits is compared to the expected number of visits for the period between when care began and the delivery date. A ratio of observed to expected visits is calculated and grouped into four categories-Inadequate (received less than 50% of expected visits), Intermediate (50%-79%), Adequate (80%-109%), and Adequate Plus (110% or more). The final Kotelchuck index measure combines these two dimensions into a single summary score. The profiles define adequate prenatal care as a score of 80% or greater on the Kotelchuck Index.

KEY FINDINGS: MENTAL HEALTH AND SUBSTANCE USE

Information on access to mental health and substance use treatment and support services is included in the "Social Determinants of Health and Access to Care" section of this report.

MENTAL HEALTH

- Mental health has an impact across population segments, though there was emphasis on youth/adolescents, isolated older adults, and immigrants/non-English speakers.
 - Youth/Adolescents: Depression, stress, and anxiety are mental health issues affecting youth and adolescents. Several individuals cited increased pressure to succeed in school and extracurricular activities, the impacts of social media, and increased social isolation due to use of technology as contributing factors.
- Mental health, including depression, anxiety, stress, and other conditions was overwhelmingly identified by key informants, focus group/listening session participants, and stakeholders as one of the leading health issue for residents of Bergen County.
- Older Adults: Many key informants and focus group/listening session participants identified social isolation as an issue for older adults. Participants suggested several reasons for this isolation – a lack of friends or family, inability to leave the home due to frailty or limited access to transportation, or unwillingness to leave the home for unknown reasons. While there are many active senior centers and Councils on Aging in Bergen County, participants reported that it was difficult for some older adults to attend activities or utilize services because of transportation or mobility issues.
- Immigrants/non-English speakers: In a focus group with Koreans in Bergen County many of whom were older adults social isolation was identified as a significant issue. Participants spoke about the loneliness that comes along with being a new immigrant, a non-English speaker, or someone who doesn't identify with a particular culture. Participants also noted that mental health issues have historically been considered taboo in Korean culture many individuals do not feel comfortable speaking about these issues with family, friends, or health care providers.

- 6.8% of respondents to the Bergen County Random Household Survey reported that their mental health was poor for 15 or more days in the past month.
 - Percentages were highest among low-income (13.3%), Black/African American (10.9%), and Hispanic/Latino (9.5%) respondents.
- 7.5% of Bergen County Random Household Survey respondents reported that they had felt sad, blue, or depressed for more than 15 days within the past month. Percentages were highest among low-income (13.2%) and Hispanic/Latino (10.3%) respondents.
 - Nearly 1 in 10 with diagnosed depression. 9.7% of respondents had been diagnosed with a depressive disorder. Percentages were higher among female (11.9%) and low-income respondents (11.6%).

Figure 26: Bergen County Random Household Survey — Sad, Blue, Depressed More Than 15 Days in Last Month (%)







Figure 27: Bergen County Random Household Survey — Ever Been Diagnosed With Depressive Disorder (%)

20



- 13.9% of respondents reported that they had felt worried, tense, or anxious for more than 15 days within the past month. Percentages were highest among low-income (22.4%), female (16.1%), and Hispanic/Latino (15.8%) respondents.
 - Over 1 in 10 with anxiety. 12.7% of respondents to the Bergen County Random
 Household Survey reported that they had been diagnossed with an anxiety disorder.
 Percentages were highest among white (15.6%) and female (15.2%) respondents.

Figure 28: Bergen County Random Household Survey — Worried, Anxious, Tense More Than 15 Days in Last Month (%)





Figure 29: Bergen County Random Household Survey — Ever Been Diagnosed With Anxiety Disorder (%)

25



 Mental and behavioral disorder inpatient hospitalization rate significantly high. The rate of mental and behavioral disorder inpatient hospitalizations was significantly high in Bergen County (557.3) compared to New Jersey overall (525.1).

Table 13: Mental and Behavioral Disorder Hospitalizations and Emergency Department Discharges

| | New Jersey | Bergen County |
|---|------------|---------------|
| Mental and behavioral disorder inpatient hospitalizations | 525.1 | 557.3 |
| Mental and behavioral disorder emergency department | 1122.9 | 651.4 |
| discharges | | |

Source: Crude rates per 100,000; New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower

SUBSTANCE USE

TOBACCO USE AND E-CIGARETTE/VAPING

- 18.9% of Bergen County Random Household Survey respondents were smokers.
 - Nearly half of all Asian respondents (49%) smoked. The percentage was also high among low-income respondents (28.8%).
- 6.0% of Bergen County Random Household Survey respondents reported having used an ecigarette or vapor product within the past 12 months. It should be noted that the Bergen County Random Household Survey was aimed at reaching individuals over 18, thus the small percentage represents use among adult respondents only. According to the 2018 National

Key informants and focus group/listening session participants identified e-cigarette use among youth/adolescents as a critical issue.

Youth Tobacco Survey, e-cigarette use among high school students increased by a staggering 78% from 2017 to 2018.²⁷

 Among the Bergen County Random Household Survey respondents who reported using an e-cigarette/vapor product in the past 12 months, 24.7% reported that they used it to help them quit smoking.

²⁷ "2018 NYTS Data: A Startling Rise in Youth E-Cigarette Use." *U.S. Food and Drug Administration*. Feb 6 2019. https://www.fda.gov/tobacco-products/youth-and-tobacco/2018-nyts-data-startling-rise-youth-e-cigarette-use

Figure 30: Bergen County Random Household Survey — Current Cigarette Smokers (%)






Figure 31: Bergen County Random Household Survey — Used E-Cigarettes/Vapor Products in Past Year (%)



ALCOHOL USE

- **Risky/heavy drinking** 5.0% of respondents to the Bergen County Random Household Survey reported heavy/risky drinking in the past 30 days defined as having more than one alcoholic beverage per day on average (7 drinks per week) for women, and more than two alcoholic beverages per day on average (14 drinks per week) for men.
- **Binge drinking** 15.4% of respondents to the Bergen County Random Household Survey reported binge drinking in the past 30 days defined as more than four alcoholic beverages at any one sitting for women, and five alcoholic beverages at any one sitting for men. Percentages were highest among male (19.2%) respondents.

Figure 32: Bergen County Random Household Survey — Binge Drinking (%)



ILLICIT DRUG USE

- 7.8% of Random Household Survey respondents reported having used drugs (e.g., heroin, cocaine, crack, painkillers like Percocet, Dilaudid, Demerol, Vicodin, and OxyContin) within the past 12 months. It should be noted that individuals who responded that they used painkillers did not define whether these substances were used as-prescribed or for recreational purposes.
- Opioid overdose deaths have increased every year since 2013.
- The number of Naloxone (Narcan) administrations to rapidly reverse an opioid overdose have increased every year since 2015.

Prescriptions dispensed decreased. Since 2015, the number of opioid prescriptions dispensed
has steadily decreased. Approximately 47,000 fewer opioid prescriptions were dispensed in
2018 than in 2017.

Figure 33: Suspected Opioid Overdose Deaths in Bergen County

Source: NJCares, Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies; State of New Jersey Office of the Attorney General




Figure 34: Naloxone (Narcan) Administrations in Bergen County

Source: NJCares, Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies; State of New Jersey Office of the Attorney General

500,000 450,000 474,269 446,614 446,233 442,151 400,000 413,016 350,000 366,699 300,000 250,000 200,000 150,000 100,000 50,000 0

2015

Figure 35: Opioid Prescriptions Dispensed in Bergen County

2014

Source: NJCares, Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies; State of New Jersey Office of the Attorney General

2016

2017


2018

MARIJUANA USE

2013

- 11% of Random Household Survey respondents reported that they currently use marijuana.
 - Percentages were highest among male (14.6%) and white (13.1%) respondents.

Figure 36: Bergen County Random Household Survey — Currently Uses Marijuana (%)



SUBSTANCE USE INPATIENT HOSPITALIZATIONS AND EMERGENCY DISCHARGES

Inpatient hospitalizations and emergency department discharges due to injuries, poisonings,
 and toxic effects of drugs were significantly low in Bergen County compared to the state overall.

Table 14: Substance Use Hospitalizations and Emergency Department Discharges

| | New Jersey | Bergen County |
|---|------------|---------------|
| Injuries, poisonings, and toxic effect of drugs inpatient | 145.9 | 103.2 |
| hospitalizations | | |
| Injuries, poisonings, and toxic effect of drugs emergency | 1478.9 | 1120.4 |
| department discharges | | |

Source: Crude rates per 100,000; New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower


KEY FINDINGS: SOCIAL DETERMINANTS AND ACCESS TO CARE

PERCEIVED BARRIERS TO CARE

Just as it is important to understand and characterize disease burden, it is important to understand whether individuals are able to access health care services when they want them, where they want them, and how they want them. Throughout the assessment, key informants, focus/group listening session participants, and key stakeholders described the common barriers people confront when trying to access care in Bergen County. Many of these barriers are associated with the social determinants of the health – inability to pay for needed services or health insurance, lack of transportation, and linguistic/cultural barriers. Other barriers were related to issues within the health service system – lack of providers, inability to find appointments, and fragmented service systems.

- Receiving all needed medical services 10.1% of Bergen County Random Household Survey respondents reported that they did not receive all of the medical services they needed in the past 12 months. Percentages were highest among low-income (14.4%) respondents.
 - Among those who did not receive needed care (of any kind) within the past 12 months,
 4.1% of respondents reported that it was because of the high cost of care;
 2.2% reported that it was because they had no health insurance.
- Factors that limit access to care and impact health Bergen County Random Household Survey
 respondents were asked to identify the leading social factors or barriers that limit access to care
 or impact the health of those living in the community.
 - Lack of health insurance, poverty/low wages/limited job opportunities, lack of social support and social isolation, limited transportation, limited education/health literacy, and lack of affordable and/or safe housing were the top six responses.

Figure 37: Bergen County Random Household Survey - Leading factors that limit access to care/impact health (%)



HEALTH INSURANCE

Whether an individual has health insurance—and the extent to which it helps to pay for needed acute services and access to a full continuum of high-quality, timely and accessible preventive and disease management or follow-up services—has been shown to be critical to overall health and well-being. ²⁸

- Percent uninsured significantly low In Bergen County, the percentage of the population that was uninsured (9.2) was significantly low compared to New Jersey overall (9.7).²⁹
 - The percentage with public insurance (e.g., Medicaid, Medicare) in Bergen County (24.3%) was also significantly low compared to New Jersey overall (29.7%).
 - The percentage of the population with private insurance (76.4%) was significantly high compared to New Jersey overall (71.6%).

The Bergen County
Community Health
Perceptions Survey asked
people to name the issues
they thought prevented
people from living a healthy
life. "No or limited health
insurance" was the second
most common response

 ^{28 &}quot;Health Insurance and Access to Care," National Center for Health Statistics, Feb. 2017, https://www.cdc.gov/nchs/data/factsheets/factsheet_hiac.pdf
 29 US Census Bureau, American Community Survey, 2013-2017

Table 15: Health Insurance (2013-2017)


| | New Jersey | Bergen County |
|--|------------|---------------|
| Uninsured (%) | 9.7 | 9.2 |
| Public health insurance (e.g., Medicaid, | 29.7 | 24.3 |
| Medicare) (%) | | |
| Private health insurance (%) | 71.6 | 76.4 |

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Figures highlighted in orange were significantly high compared to the state overall, while figures highlighted in blue were significantly low.

- Among respondents to the Bergen County Random Household Survey, 10.9% reported that they had been uninsured sometime within the past year.
 - Percentages were highest among low-income (26.4%), Hispanic/Latino (20.2%), and Black/African American (19.3%) respondents.

Figure 38: Bergen County Random Household Survey — Uninsured Sometime Within Past Year (%)



SERVICE UTILIZATION

- 20.2% of Bergen County Random Household Survey respondents reported that they had visited the emergency room one or more times in the past year.
 - Percentages were highest among Black/African American respondents (28.8%) and those over 65 (24.9%).
- 9.3% of Bergen County Random Household Survey respondents reported that they had stayed in a hospital overnight for care of observation one or more times in the past year.

 Percentages were highest among respondents over 65 (18.0%) and low-income respondents (14.8%).

35 30 25 21.7 22 21.4 20.2 20.1 19 20 14.7 15 10 5 0 ΑII Male Female White Black/Af. Hisp./Lat. Asian Income (N=1372)(N=518)(N=832)(N=959)Amer. (N=188)(N=151)<\$50,000 years old (N=126)(N=331)(N=475)

Figure 39: Bergen County Random Household Survey — Visited Emergency Room At Least Once in Past Year (%)

ACCESS TO BEHAVIORAL HEALTH SERVICES

One of the major themes of this assessment was that individuals struggle to access behavioral healthcare services, including psychiatry, inpatient/outpatient mental health treatment, substance use detoxification and rehabilitation, outpatient substance use treatment, and medication-assisted treatment. Many of the individuals engaged during this assessment reported that hospitals and community partners were working to fill service gaps and address the needs of individuals and the community at-large. People continue to face delays or barriers to care due to limited providers and specialists, limited treatment beds, and social determinants that impede access to care (e.g., insurance coverage, transportation, employment, health literacy). Many participants also discussed the comorbidity that often occurs between mental health and substance use issues, which complicates treatment options.

- 9.3% of Random Household Survey respondents that they received counseling, treatment, or medicine for mental health or substance use issues within the last 12 months. Percentages were highest among low-income (11.2%) respondents.
- 16.5% of respondents reported that they did not receive needed mental health care in the
 past year. Percentages were highest among Black/African American (20.2%) and white (17.7%)
 respondents.

- 7.0% of respondents reported that they did not receive needed substance use treatment in the past year. Percentages were higher among low-income (10.8%) and Asian (9.0%) respondents.
- 17.8% of respondents reported that they never or rarely get the social/emotional help they need. Percentages were highest among Asian (34.3%), low-income (25.6%), and male (23.5%) respondents.

Figure 40: Bergen County Random Household Survey — Received Counseling, Treatment, or Medicine for Mental Health/Substance Use Issue in Past Year (%)




Figure 41: Bergen County Random Household Survey - Did Not Receive Needed Mental Health Treatment (%)




Figure 42: Bergen County Random Household Survey — Did Not Receive Needed Substance Use Treatment (%)





Figure 43: Bergen County Random Household Survey — Never or Rarely Get Social/Emotional Help They Need (%)



SUMMARY IMPLEMENTATION STRATEGY

This section provides a summary of the planning principles applied to the development of Bergen County CHIP's Implementation Strategy. Below is also a discussion of the priority populations that the Implementation Strategy aims to reach, and goals, objectives, and strategies within each identified priority area. A full Implementation Strategy, with goals, objectives, strategies, sample measures, and potential community partners may be found in Appendix D.

IMPLEMENTATION STRATEGY PLANNING PRINCIPLES

The following defines the types of strategies and interventions that were considered in the development of the Implementation Strategy.

- Cross-Sector Collaboration and Partnership: Includes collaborations, partnerships, and support of providers and community organizations across multiple sectors (e.g., health, public health, education, public safety, and community health).
- Health Education and Prevention: Initiatives that aim to prevent disease or injury before it ever
 occurs by reducing risks, preventing exposures to hazards, or altering unhealthy behaviors.
 Programs might include targeted efforts to raise awareness about a particular condition or provide
 information on risk and protective factors.
- **Behavior Modification and Chronic Disease Management:** Evidence-based behavioral modification and/or chronic disease management programs that encourage individuals to manage their health conditions, change unhealthy behaviors, and make informed decisions about their health and care.
- Care Coordination and Service Integration: Initiatives that integrate existing services and expand access to care by coordinating health services, patient needs, and information.
- Patient Navigation and Access to Care: Efforts which aim to help individuals navigate the health care system and improve access to services when and where they need them.
- Identification of those At-risk (Outreach, Screening, Assessment and Referral): Screening and
 assessment programs reduce the risk of death or ill health from a specific condition by offering tests
 to help identify those who could benefit from treatment. A critical component of screening and
 referral efforts is to provide linkages to providers, treatment, and supportive services should an
 issue be detected.

PRIORITY POPULATIONS

The Community Health Improvement Partnership of Bergen County is committed to improving the health status and well-being of all residents living in Bergen County - certainly all geographic, demographic, and socioeconomic segments of the population face challenges that may impede their ability to access care or maintain good health. Regardless of age, race/ethnicity, income, family history, or other characteristics, everyone is impacted in some way by health-related disparities. With this in mind, the CHIP's Implementation Strategy includes activities that will support all residents, across all segments of the population. However, based on the assessment's quantitative and qualitative findings, there was broad agreement that the CHIP's Implementation Strategy should prioritize certain demographic and socio-economic segments of the population that have complex needs or face especially significant barriers to care, service gaps, or adverse social determinants of health, which put them at greater risk. The assessment identified the following priority populations:

Figure 44: CHIP Priority Populations 2020-2022

Older Adults

Children and Families

Racial/Ethnic/Cultural Minorities and Non-English Speakers

Individuals with Chronic/Complex conditions

Low-Resource Individuals and Families

Chronic/Complex Conditions

Children and Families

Racial/Ethnic/Cultural Minorities and Non-English Speakers

Lesbian, Gay, Bisexual, Transgender, Queer/Questioning (LGBTQ+)

GOALS, OBJECTIVES, AND STRATEGIES BY PRIORITY AREA

The goal of the CHNA was to engage the community and compile quantitative and qualitative information to identify the leading health-related issues affecting individuals in the County. The priorities that were identified have been framed broadly to ensure that the full breadth of unmet needs and community health issues are recognized. These priorities were identified through an integrated and thorough review of all of the quantitative and qualitative information captured for the assessment. The priorities have been identified to maximize impact, reduce disparities, and promote collaboration and cross-sector partnership.

During the later stages of the CHNA process, significant efforts were made to vet the priority issues with CHIP representatives and community leaders. The Steering Committee is confident that these priorities

reflect the sentiments of those who were involved in the assessment and community engagement processes. Based on the findings from the breadth of CHNA activities, leadership opted to prioritize the following community health issues (in order of how they are discussed in the Community Health Needs Assessment): wellness, prevention and risk factors, chronic and complex conditions, and mental health and substance use. Two crosscutting issues were also identified: social determinants of health and access to care.

Figure 45: Bergen County CHIP Community Health Priority Areas 2020-2022



PRIORITY AREA: WELLNESS, PREVENTION, AND RISK FACTORS

The Community Health Improvement Partnership of Bergen County is committed to promoting whole-body wellness for all people who live, work, or attend school in Bergen County. The CHIP has a long history of working with community partners to ensure that residents have the tools and resources necessary to eat healthy, be active, and take proactive steps to maintain or improve their overall well-being.

| Goals | Objectives and Strategies |
|-----------------------------|---|
| Promote regular physical | Sponsor and/or support local, community-based, free and low cost |
| activity | exercise opportunities (e.g., CHIP Wellness/Weight Loss Challenge) |
| | Continue to offer programs that provide opportunity for free exercise |
| | in community-based settings (e.g., CHIP Get Fit Bergen Program) |
| Promote healthy eating | Offer educational programs, cooking demonstrations, and weekly |
| | weigh-in opportunities through the CHIP Wellness/Weight Loss |
| | Challenge |
| | Offer educational programs and trainings for professionals and |
| | community members |
| Promote health and wellness | Publicize and assist with planning programs, services and screenings |
| screenings and resources | available to community members to increase awareness and |
| | engagement |
| | Promote free and low-cost immunizations, vaccinations, education |
| | and outreach to community members |

PRIORITY AREA: CHRONIC AND COMPLEX CONDITIONS

The CHIP recognizes that heart disease, cancer, and other chronic and complex conditions are the leading causes of death. The CHIP is committed to working with community partners to ensure that those with chronic and complex conditions and their families have the supportive services they need.

| Goals | Objectives and Strategies |
|-----------------------------|--|
| Promote chronic disease | Plan, co-sponsor, and publicize chronic disease-related educational |
| management and behavior | conferences and trainings for professionals and education workshops, |
| change | classes, and literature for community members |
| | Collaborate with hospital and community partners to promote |
| | county-wide programs and resources to prevent and/or manage |
| | chronic conditions. |
| Increase awareness of end- | Provide outreach and education regarding palliative care and end-of- |
| of-life and palliative care | life planning/care in community-based settings |
| programs | Collaborate with community partners and local health care providers |
| | to increase access to caregiver support programs |

PRIORITY AREA: MENTAL HEALTH AND SUBSTANCE USE (BEHAVIORAL HEALTH)

The burden of mental health and substance use, including depression and anxiety, social isolation, opioid misuse, tobacco/e-cigarette use, and alcohol misuse, is substantial. The CHIP will continue to work with community partners to address stigma, reduce risky behaviors and promote behavior change, and address barriers to supportive services and treatment.

| Goals | Objectives and Strategies |
|--------------------------------|---|
| Reduce stigma related to | Provide education and outreach in the community |
| behavioral health | Collaborate with community partners and local health care providers |
| | to help reduce the stigma related to behavioral health issues |
| Increase and improve | Plan, co-sponsor and publicize education, outreach, and screenings |
| collaboration with partners to | (i.e. depression) in community-based settings |
| help reduce depression, | Collaborate with community partners and local health care providers |
| isolation, anxiety and stress | to address these issues |
| | Assist with collecting, vetting and publicizing resources including |
| | mental health centers and providers, community programs, self-help |
| | groups, health care providers, etc. |
| Reduce the use of tobacco | Increase awareness of community resources, prevention programs, |
| and e-cigarette/vaping | care/treatment options, and supportive services through community |
| products | outreach, education, and media/social messages |
| | Collaborate with community partners, hospitals, schools, and local |
| | health care providers to reduce the use of tobacco and e- |
| | cigarette/vaping products |
| Reduce risky alcohol use | Increase awareness of community resources, prevention, |
| | care/treatment options, and supportive services through community |
| | outreach and education |
| | Collaborate with community partners and local health care providers |
| | to reduce risky alcohol use |
| Reduce prescription drug | • Increase awareness of community resources, prevention programs, |
| abuse and illegal drug use | care/treatment options, and supportive services through community |
| | outreach and education |
| | Collaborate with community partners and local health care providers |
| | to reduce prescription drug abuse |

CROSS-CUTTING PRIORITY AREA: SOCIAL DETERMINANTS OF HEALTH AND ACCESS TO CARE

The CHIP works closely with healthcare providers throughout the County to ensure that individuals have access to high-quality treatment and supportive services. As evidenced by the assessment, disparities in health outcomes and access to services exist for low-income and racial/ethnic cohorts. Disparities may also exist by age, language, and ability (physical, mental, and emotional). The CHIP will continue to work with community partners to promote access and engagement in care and reduce barriers associated with the leading social determinants of health (e.g., poverty/employment, transportation, housing, and cost of care).

| Goals | Objectives and Strategies |
|------------------------------|---|
| Improve access to affordable | Promote programs and services that aim to increase access to |
| and safe housing and | affordable and safe housing and transportation |
| transportation | Work with governmental and community partners to discuss |
| | collaborative solutions to housing and transportation issues and |
| | prepare and update resource lists |
| Promote access to and | Collaborate with community partners and local health care providers |
| engagement in primary care | to promote primary care resources |
| | Continue to include primary care partners from Federally Qualified |
| | Health Centers, hospitals, and other medical practices on the CHIP |
| | Core Steering Committee and task forces |
| Promote access to and | Increase awareness of community resources, prevention, |
| engagement in behavioral | care/treatment options, and programs through community outreach |
| health care | and education |
| | Collaborate with community partners and local health care providers |
| | to promote access to and engagement in behavioral health care |

COMMUNITY HEALTH NEEDS NOT PRIORITIZED BY THE CHIP

There are community health needs that were identified through the CHIP's assessment that were not prioritized for inclusion in the implementation strategy for a number of reasons:

- Feasibility of the CHIP having an impact in the short- or long-term
- Clinical expertise of the organization
- Limited burden on residents of service area
- The issue is currently being addressed by community partners in a way that does not warrant additional support

Namely, availability of affordable housing was identified as a community need, but this issue was determined to be outside of the CHIP's primary sphere of influence. This is not to say that the CHIP will not support efforts in these areas or other areas that were not prioritized. The CHIP remains open and willing to work with BCDHS, hospital partners, and other public and private partners to address this issue, particularly as part of a broad, strong collaborative.